

RedCrab - The Calculator, Update History

Version 4.43 06.01.2014	<p>New:</p> <ul style="list-style-type: none"> - Debugger for searching and fixing of errors in self written functions - Trace, Watch and Break - Debugger menu: Run, Step into, Step over, Ignore break <p>Security Update: bug fixes</p> <p>New Videos</p> <ul style="list-style-type: none"> - http://www.redchillicrab.com/en/redcrab/tutor/debugger.html - http://www.redchillicrab.com/en/redcrab/tutor/quadratic_equation.html
Version 4.42 08.12.2013	<ul style="list-style-type: none"> - Chart Box settings for series and legends (colour and text). - Print Chart Box. - New Toolbox buttons for “Insert Plot Box” and “View Program Buttons”. - Bugfix; Slider position.
Version 4.41 07.11.2013	<ul style="list-style-type: none"> - New: Copy of ChartBox, ImageBox and ResultBox to clipboard supported. - Worksheet insert and delete improved. - User manual improved: The content overview has hyperlinks to the description. - Freeware and shareware manual are combined in one user manual.
Version 4.40 13.10.2013	<ul style="list-style-type: none"> - New: <i>Plotbox</i> for graphic creation. - 35 new functions support the <i>Plotbox</i>: PlotLine, PlotRect, PlotEllipse, PlotPie, Polybizer, PenColor, PenStyle, BrushColor
Version 4.34 02.10.2013	<ul style="list-style-type: none"> - Security Update : Bug fix in program editor - New functions Sqr and Sqrt - New input and output functions in program interpreter : Input, Display and Menu (see demo program: Finance.rcc)
Version 4.33 13.01.2013	<ul style="list-style-type: none"> - Security Update : Bug fixes in Worksheet and Program Editor - In self programmed functions, the index of data fields now begins with [1] instead with [0]. If you use direct access to single element of data fields in your program, please change this to the new ruling. - New Constants: TRUE = 1; FALSE = 0
Version 4.32	<ul style="list-style-type: none"> - Slider box available in freeware

13.01.2013	<ul style="list-style-type: none"> - The on/off state of the function panel is saved, and restored if RedCrab restarts. - In definition of data fields you can insert extern data tables and variables qualified by module name. - Call of self written functions with empty parameter list enabled. - Assign to single rows in data fields ($a[b]=c$). - Definition and assign to data fields improved: „Let $x[] = a * b$ „ and „define $x[] = [1..16]*[1..4]$ fill 0 „ enabled. - Automatic index handling per <i>Next</i> command in data field assignment (RedCrab program language). - New <i>Index</i> function returns the last index which is used by <i>Next</i>. - Bug fix in transparency of result boxes. - Display of error message position improved.
Version 4.31 13.12.2012	<p>Freeware & Shareware</p> <p>Upgrades:</p> <ul style="list-style-type: none"> - The reference variable of result boxes can now be input with keyboard. - Undo function improved <p>Bug fixes:</p> <ul style="list-style-type: none"> - Chart box becomes invisible, when toggled between <i>NonSync</i> and <i>GridSync</i> mode. - After loading of <i>RedCrab</i>^{PLUS} demo files in freeware mode, there was a problem with saving of freeware files. - The definition of complex data field which includes data ranges could cause a runtime error. <p>Shareware only</p> <p><i>RedCrab</i> creates a button for any function in the program editor.</p> <p>Insert of sliders in the worksheet. You can use the slider like a variable in any expression. The adjustment of the slider changes the output value.</p>
Version 4.30	<ul style="list-style-type: none"> - Windows 8 tested and user interface upgraded.

04.11.2012	<ul style="list-style-type: none"> - Rectangle buttons with larger text fields improved the readability of function names on high resolution displays. - Adjustable size of function panel and buttons improved the readability and handling on touch screens and tablet pc. - The command line start option “/d“, reset the Windows Registry settings.
------------	--

Version 4.21 26.06.2012	Freeware New features: The Freeware can load data sheet which includes shareware programs and the worksheet is free to use. But the program code is read only and file saved is disabled.	Shareware Bug fix: Invalid symbols in program code can freeze the program. Bug in Undo function fixed. Problem with saving of PHP files fixed.
	The display settings of FIX and FLT buttons, number of displayed digits and the EXP (exponent) are saved to data files. Reload of the files restores the settings. New program modules for conversion of length, areas, volume etc. Bug fix in display module	

Version 4.20 16.06.2012	Freeware <ul style="list-style-type: none"> - Bugfixes - Insert function upgraded - Content of chart boxes can be zoomed 	Shareware <ul style="list-style-type: none"> - Write your own functions in RedCrab's built-in programming language - Writing and running PHP programs in RedCrab's integrated programming environment. - Access to Microsoft Excel Tables - Access to database Microsoft Access - Access to database MySQL via TCP/IP - Import of data lists via text files, - Input of data list in text editor
-----------------------------------	---	---

Version 4.14

20.05.2012

New features:

- ***DTime*** returns the ***DateTime*** value for date and time calculation
- ***DTimeF*** formats ***DateTime*** in year, month, day, hour, minute and second
- ***DateTime*** values can be displayed as formatted text in result boxes.
- ***Det*** returns the determinant of a 2x2 or 3x3 matrix.
- ***Invx*** inverse a 2x2 or 3x3 matrix.
- In field-definition you can optionally specify the increment of a range.
- Display of tables improved.

Version 4.13 12.04.2012	New features: <ul style="list-style-type: none"> - Access to single cells in multidimensional fields. - Dim(x) returns the number of dimensions of data fields. - Cols(x) returns the number of columns of data fields. - Rows(x) returns the number of rows of data fields. - Input of binary- and octal numbers. - Output of binary- and octal numbers in result boxes. Bug-fixes: <ul style="list-style-type: none"> - Runtime error by invalid input of: $x=x[1..4]$ fixed. - Flickering of function panel (right) by pressing of Ctrl + Enter fixed. - Runtime error by invalid option in result boxes fixed.
Version 4.12 19.03.2012	New features By chart boxes, the option X/Y position allows the free definition of <i>X</i> and <i>Y</i> coordinates. Bug-fixes: Run time error fixed in display module: problem happened when displayed single-column field or more chart boxes. Use of constant “e” results in a wrong error message.
Version 4.11 05.03.2012	New features <ul style="list-style-type: none"> - The decimal key below the numeric keypad (point / comma) produces a decimal point always, regardless of the country setting. - For the function "SUM ()" you can use alternate the Greek letter "Σ". Bug-fixes CPU freezes when subscript symbols were behind a number. Corrected error message when field definition is wrong [1..(a*b)].
Version 4.10 04.02.2012	New features for field and financial calculation <i>AddIn, AddTo, AddOn, MulIn, MulTo, MulAd, Patt</i> Bug-fix: When inserting columns, problems occurred when result was behind a formula. Mouse pointer showed wrong symbol when leaving text box. Runtime error under Linux OS / Wine fixed.
Version 4.0 18.12.2011	Difference to 4.0 beta, improvements in details, particularly in display of chart boxes and tables.
Version 4.0.beta 05.12.2011	News in Version 4.0: Calculation with multidimensional data fields.

	<p>Chart boxes to display results graphically. Variable overload</p> <p>Standard Functions:</p> <p>Round rounded to the nearest whole number. Int returns the integer part of a value. Frac returns the fractional part of an argument. Rnd returns a random integer number. Abs returns the absolute value of numbers and fields.</p> <p>Functions / operators of dynamic data fields:</p> <p>Join connects one or two-dimensional fields with each other. Fill fills all elements of a field with a specified value. Mulx operator for multiplication of matrices. Trans producing the transpose of a matrix . Min return the minimum value of fields. Max return the maximum value of fields. Count returns the number of elements of fields. Aver returns the mean values of successive elements of fields. URnd fills a field with a series of unique random numbers.</p> <p>Statistic functions</p> <p>Sum returns the sum of the elements in fields. Prod returns the product of all elements of fields. Cusum returns cumulative sum. Sort sorts field elements from low to high values. DSort sorts field elements from high to low values . Median returns the median value of fields . Mean returns the mean value of field. Vari returns the variance of data fields . SVari returns the variance of an exsample. StDev returns the standard deviation of data fields. SStDev returns the standard deviation of examples. Diff returns the difference values of successive elements of fields. LQuart returns the value of the first quartile. UQuart returns the value of the third quartile. QRan returns the area from the 1st to 3rd quartiles.</p>
--	--